

PROMAX

Power Tools & Garden Tools
Corded & Gasoline Models



PROMAX

SUN-MOON INDUSTRIAL CO.,LTD.

Add: 11F Block A, Zhongti CENTER, No. 299 Kangzhuang South Road,
Jiangbei District, Ningbo City

Tel: +86-574-8388 3666

E-mail:sales@sunmoon-tools.com



CATALOGUE 2023/2024

CONTENTS


01 //	DRILLS & WRENCH	02-03	Electric Drill
		03-04	Impact Drill
		04	Impact Wrench
05 //	HAMMERS	06-07	Rotary Hammer
		08	Demolition Breaker
09 //	GRINDER & POLISHER	10-11	Angle Grinder
		11-12	Electric Polisher
		12	Die Grinder
		13	Mini Grinder
14 //	SANDER & PLANER	15-16	Sander
		16	Belt Sander
		17	Electric Router
		17-18	Electric Planer
		18	Biscuit Joiner
19 //	SAWS	20	Jig Saw
		21	Reciprocating Saw
		21-22	Circular Saw
		22	Mini Saw
		23-24	Multi Tool & Marble cutter
25 //	SPRAYING & PAINTING TOOLS	26-27	Electric Mixer
		28	Spray Gun
		29-30	Drywall Sander
		30	Wallpaper Stripper
31 //	OTHERS	32	Glue Gun
		32	Soldering Iron
		33	Soldering Gun
		33	Pipe Welding Machine
		33-34	Heat Gun
		35	Staple Gun
		35	Electric Blower
		36	Mitre Saw
		37-38	Tile Cutter
		38	Table Saw
		39	Scroll Saw
		39	Thickness Planer
		40	Jointer&Planer
		40	Drill Press
		41	Bench Grinder
		42	Belt & Disc Sander
		42	Cut-off Machine
		43	Air Compressor
		44	Vacuum Cleaner

45 //	GARDEN TOOLS	46	Electric Haymaker
		46	Electric Weed Sweeper
		46	Electric Leaf Blower/Vacuum
		47	Electric Grass Trimmer
		47-48	Electric Chain Saw
		48	Electric Lawn Mower
		48-49	Electric Hedge Trimmer
		49	Electric Garden Shredder
		49	Electric High Pressure Washer
		50	Gasoline Brush Cutter
		50	Gasoline Hedge Trimmer
		51	Gasoline Chain Saw
		51	Gasoline Blower & Vacuum
		52	Gasoline Lawn Mower
		52-53	Gasoline High Pressure Washer
		53	Gasoline Generator



COMPANY OVERVIEW

Focus All Quality Hardware Tools



Sun-Moon Industrial Co., Ltd was established in 1998 and growth to one of the biggest TOOL suppliers in China.

We source our products from well know manufactures in China and we also have our own factory which produce power tools and garden tools.

With the extensive support from R&D, total quality management, all our products have complied with the global qualified standard.

We not only do OEM and ODM business with 150+ customers all over the world, but also supply our own MAXPRO brand tool to different countries.



20000 m²
Factory area



10+ person
R&D engineers



20+ person
Quality control person



150+
Customers all over the world



8-12
New products per year in factory

OUR BRANDS



MAXPRO-----We supply our own MAXPRO brand professional tools all over the world from year 2012. We keep stock by ourselves in NINBGO warehouse to make quick delivery and we accept small MOQ to reduce our partner s inventory level. Welcome to become our Agent



PROMAX-----This brand grows with the SUN-MOON company together from 1998, we do OEM and ODM business of power tools, garden tools and hand tools for more than 24 years. We use PROMAX brand to show our products in showroom and exhibition.



KREBS-----Inspire the Different. This distinctive KREBS brand was recognized in 1946 in SWISS. Welcome to visit our Amazon Japan and USA shop to check and buy different kind of tools. KREBS will be your good choice.



MANUFACTURING BASE

We source our product from well know manufactures in China and we also own our own factory which cover 20,000 m² for designing, testing and manufacture high quality products. Our facility allows us to produce according the highest standards our customer requires for.



QUALITY CONTROL

Our professional quality management and inspection team will strictly control the quality of all our products. Our factory at Ningbo China has a wide range of test equipment to control and maintenance the quality of our products.



SERVICE

We offer our customer a wide range of service facility's like Technical support, providing spare parts,loading supervisor.



DRILLS
& WRENCH

02-03 Electric Drill

03-04 Impact Drill

04 Impact Wrench



PRED2202

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 300W
- No-load Speed 0-750rpm
- Torque Setting 19+1
- Chuck Size 10mm



- Easy carbon brush change
- Torque setting
- LED light(optional)

Size: 48,5*36,5*25cm/10pcs Color box
G.W./N.W.: 15,7/14,7kgs

PRED2005

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 280W
- No-load Speed 0-450 / 0-1200rpm
- Torque Setting 20+1
- Chuck Size 10mm



- Two mechanical speed
- Soft grip
- Torque setting

Size: 53*37*24,5cm/10pcs Color box
G.W./N.W.: 16/15kgs

PRED2301

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 300W
- No-load Speed 0-400 / 0-1100rpm
- Torque Setting 20+3
- Chuck Size 10mm



- Hammer function
- Two mechanical speed
- Easy carbon brush change
- LED light
- Soft grip
- Torque setting

Size: 55*40*24,5cm/10pcs Color box
G.W./N.W.: 17/16kgs

PRED2003

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 280W
- No-load Speed 0-750rpm
- Torque Setting 20+1
- Chuck Size 10mm



- Soft grip
- Torque setting

Size: 48,5*37*24,5cm/10pcs Color box
G.W./N.W.: 16/15kgs



PRED1901

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 300W
- No-load Speed 0-750rpm
- Torque Setting 23+1
- Chuck Size 10mm



- Easy carbon brush change
- Soft grip
- Torque setting

Size: 53*39,5*25cm/10pcs Color box
G.W./N.W.: 15/14kgs



PRED1905

ELECTRIC DRILL

- Voltage/Frequency 230V/50Hz
- Input Power 300W
- No-load Speed 0-400 / 0-1000rpm
- Torque Setting 19+1
- Chuck Size 10mm



- Two mechanical speed
- LED light
- Soft grip
- Torque setting

Size: 53*39,5*25cm/10pcs Color box
G.W./N.W.: 15/14kgs



PRED2203

ELECTRIC DRILL

- Voltage/Frequency230V/50Hz
- Input Power280W
- No-load Speed0-4200rpm
- Chuck Size6mm



Variable speed

Size: 52*33.5*23.5cm/10pcs Color box
G.W./N.W.: 16.5/14.5kgs



PRED1803

ELECTRIC DRILL

- Voltage/Frequency230V/50Hz
- Input Power650W
- No-load Speed0-2800rpm
- Chuck Size10mm



Aluminium gear box
Variable speed
Lock-on button for continuous using

Size: 56*39.5*27cm/10pcs Color box
G.W./N.W.: 23.5/21.5kgs



PRID2204-1/2204-2/2204-3

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power400W/550W/710W
- No-load Speed0-2800rpm
- Chuck Size13mm



Variable speed

Size: 59*40*26cm/10pcs Color box
G.W./N.W.: 19/18kgs



PRID2205-1/2205-2

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power750W/850W
- No-load Speed0-2800rpm
- Chuck Size13mm



Variable speed

Size: 59*40*26cm/10pcs Color box
G.W./N.W.: 20/19kgs



PRID2206-1/2206-2/2206-3

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power750W/850W/950W
- No-load Speed0-2800rpm
- Chuck Size13mm



Variable speed
Aluminium gear housing

Size: 59*40*26cm/10pcs Color box
G.W./N.W.: 21/20kgs



PRID2103

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power710W
- No-load Speed0-2800rpm
- Chuck Size13mm
- Drilling Capacity
Wood25mm
Steel13mm
Concrete13mm



Variable speed

Size: 37*30.5*48cm/10pcs Color box
G.W./N.W.: 22.5/21.5kgs

PRID2207

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power850W
- No-load Speed0-2800rpm
- Chuck Size13mm
- Drilling Capacity
Wood25mm
Steel13mm
Concrete13mm



Variable speed
Aluminium gear housing

Size: 37*33*49cm/10pcs Color box
G.W./N.W.: 24/23kgs

PRID2302

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power1050W
- No-load Speed0-1200/0-3200rpm
- Impact Rate0-19200/0-51200rpm
- Chuck Size16mm
- Drilling Capacity
Wood40mm
Steel13mm
Concrete20mm



Two mechanical speed
Aluminium gear housing

Size: 47.6*35.6*28.8cm/5pcs Color box
G.W./N.W.: 19/18.2kgs



PRID2301

IMPACT DRILL

- Voltage/Frequency230V/50Hz
- Input Power900W
- No-load Speed0-2800rpm
- Chuck Size13mm
- Drilling Capacity
Wood25mm
Steel13mm
Concrete13mm



Variable speed
Aluminium gear housing

Size: 60.9*31.3*27.2cm/8pcs Color box
G.W./N.W.: 21.7/21.2kgs



PRIW2301

IMPACT WRENCH

- Voltage/Frequency230V/50Hz
- Input Power450W
- No-load Speed0-3000rpm
- Max Torque330N.m



Aluminium gear housing
Easy caibon brush change
Forward/reverse operation

Size: 53.5*33.5*29.5cm/5pcs BMC
G.W./N.W.: 16.8/16kgs



PRIW2202

IMPACT WRENCH

- Voltage/Frequency230V/50Hz
- Input Power1010W
- No-load Speed2200rpm
- Max Torque450N.m



Aluminium gear housing
Easy caibon brush change
Forward/reverse operation

Size: 48*39*31.5cm/4pcs BMC
G.W./N.W.: 22/21kgs



PRIW2002

IMPACT WRENCH

- Voltage/Frequency230V/50Hz
- Input Power950W
- No-load Speed2300rpm
- Max Torque450-520N.m



Aluminium gear housing
Professional quality
Forward/reverse operation

Size: 39*27*34cm/2pcs BMC
G.W./N.W.: 11.5/11kgs





HAMMERS

06-07 Rotary Hammer

08 Demolition Breaker

PRRH1615

ROTARY HAMMER

- Voltage/Frequency 230V/50Hz
- Input Power 600W
- No-load Speed 0-2000rpm
- Impact Rate 0-6300bpm
- Impact Energy 1.7J
- Max. Drill Diameter Concrete:20mm
Steel:13mm
Wood:30mm

3 Functions
SDS-PLUS



Size: 48*38*32cm/4pcs BMC
G.W./N.W.: 16/15,3kgs

PRRH1613

ROTARY HAMMER

- Voltage/Frequency 230V/50Hz
- Input Power 620W
- No-load Speed 0-1250rpm
- Impact Rate 0-6400bpm
- Impact Energy 2.8J
- Max. Drill Diameter Concrete: 24mm
Steel: 13mm
Wood: 30mm

3 Functions
SDS-PLUS



Size: 47*45*30,5cm/4pcs BMC
G.W./N.W.: 20,7/19,9kgs



PRRH2010

ROTARY HAMMER

- Voltage/Frequency 230V/50Hz
- Input Power 800W
- No-load Speed 0-1350rpm
- Impact Rate 0-5500bpm
- Impact Energy 2.8J
- Max. Drill Diameter Concrete: 26mm
Steel: 13mm
Wood: 30mm

3 Functions
SDS-PLUS



Size: 47*44,5*30,5cm/4pcs BMC
G.W./N.W.: 21,5/20,7kgs



PRRH2201

ROTARY HAMMER

- Voltage/Frequency 230V/50Hz
- Input Power 900W
- No-load Speed 0-950rpm
- Impact Rate 0-5300bpm
- Impact Energy 3,2J
- Max. Drill Diameter Concrete: 30mm
Steel: 13mm
Wood: 30mm

4 Functions
SDS-PLUS



Size: 48*43,5*34cm/4pcs BMC
G.W./N.W.: 22/21kgs



PRRH2205

ROTARY HAMMER

- Voltage/Frequency230V/50Hz
- Input Power900W
- No-load Speed800rpm
- Impact Rate4000bpm
- Impact Energy4J
- Max. Drill DiameterConcrete: 26mm
Steel: 13mm
Wood: 40mm



3 Functions
SDS-PLUS

Size: 38.5*35*36cm/3pcs BMC
G.W./N.W.: 20/19kgs



PRRH2202

ROTARY HAMMER

- Voltage/Frequency230V/50Hz
- Input Power1500W
- No-load Speed950rpm
- Impact Rate4300bpm
- Impact Energy4J
- Max. Drill DiameterConcrete: 32mm
Steel: 13mm
Wood: 40mm



3 Functions
SDS-PLUS
Variable speed(optional)

Size: 43.8*27.5*35.5cm/2pcs BMC
G.W./N.W.: 15/10.5kgs



PRRH2203

ROTARY HAMMER

- Voltage/Frequency230V/50Hz
- Input Power1500W
- No-load Speed920rpm
- Impact Rate4250bpm
- Impact Energy6J
- Max. Drill DiameterConcrete: 32mm
Steel: 13mm
Wood: 40mm



4 Functions
SDS-PLUS
Variable speed(optional)

Size: 51.5*29.5*41cm/2pcs BMC
G.W./N.W.: 24/23kgs



PRRH2204

ROTARY HAMMER

- Voltage/Frequency230V/50Hz
- Input Power1600W
- No-load Speed630rpm
- Impact Rate3800bpm
- Impact Energy10J
- Max. Drill DiameterConcrete: 38mm
Steel: 13mm
Wood: 42mm



3 Functions
SDS-MAX
Variable speed(optional)

Size: 52*29*40.5cm/2pcs BMC
G.W./N.W.: 25/24kgs



PRDB2204

DEMOLITION BREAKER

- Voltage/Frequency230V/50Hz
- Input Power1300W
- Impact Rate4000bpm
- Impact Energy20J



Hex bit system

Size: 52*26*36cm/2pcs Metal box
G.W./N.W.: 17/16kgs

PRDB2205

DEMOLITION BREAKER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- Impact Rate3800bpm
- Impact Energy15J



Hex bit system

Size: 52*25*33cm/2pcs Metal box
G.W./N.W.: 17/16kgs

PRDB2206

DEMOLITION BREAKER

- Voltage/Frequency230V/50Hz
- Input Power1600W
- Impact Rate1500bpm
- Impact Energy45J



Hex bit system

Size: 71*17*30cm/1pc Metal box
G.W./N.W.: 21/20kgs



PRDB2207

DEMOLITION BREAKER

- Voltage/Frequency230V/50Hz
- Input Power1800W
- Impact Rate1500bpm
- Impact Energy45J



Hex bit system

Size: 71*17*30cm/1pc Metal box
G.W./N.W.: 25.8/24.8kgs

GRINDER & POLISHER

10-11 Angle Grinder

11-12 Electric Polisher

12 Die Grinder

13 Mini Grinder

PRAG2201

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 710W
- No-load Speed 11000rpm
- Disc ø115/125mm



Size: 56*36*24cm/8pcs Color box
G.W./N.W.: 19/18kgs



PRAG2203

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 1200W
- No-load Speed 0-11000rpm
- Disc ø125mm



Variable speed

Size: 56*36*24cm/8pcs Color box
G.W./N.W.: 21/20kgs



PRAG2102

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 500W
- No-load Speed 11000rpm
- Disc ø115/125mm



Soft grip

Size: 57*33*24cm/10pcs Color box
G.W./N.W.: 18/17kgs



PRAG2202

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 810W
- No-load Speed 11000rpm
- Disc ø115/125mm



Size: 56*36*24cm/8pcs Color box
G.W./N.W.: 19.5/18.5kgs



PRAG2204/2205

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 2200W/2400W
- No-load Speed 6000rpm
- Disc ø230mm



Soft start
Rotatable handle

Size: 49*27.5*18.5cm/2pcs Color box
G.W./N.W.: 12.5/11kgs



PRAG2206

ANGLE GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 850W
- No-load Speed 11000rpm
- Disc ø125mm



Easy carbon brush change
Variable speed(optional)

Size: 57*38*22cm/10pcs Color box
G.W./N.W.: 21.5/20kgs



PRAG2207

ANGLE GRINDER

- Voltage/Frequency230V/50Hz
- Input Power750W
- No-load Speed11000rpm
- Discø115mm



Soft grip

Size: 47*33.5*26cm/10pcs Color box
G.W./N.W.: 20/18kgs



PRAG2209

ANGLE GRINDER

- Voltage/Frequency230V/50Hz
- Input Power1300W
- No-load Speed8000rpm
- Discø180mm



Soft grip

Size: 51*31*25cm/4pcs Color box
G.W./N.W.: 20/19kgs



PRCP2002

ELECTRIC POLISHER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed500-3000rpm
- Dia. of Plate150/180mm



Soft grip
Variable speed

Size: 46.5*43.8*30cm/6pcs Color box
G.W./N.W.: 16/15kgs



PRAG2208

ANGLE GRINDER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed10000rpm
- Discø150mm



Soft grip

Size: 46*41*23cm/10pcs Color box
G.W./N.W.: 24/22kgs



PRAG2210

ANGLE GRINDER

- Voltage/Frequency230V/50Hz
- Input Power2050W
- No-load Speed6500rpm
- Discø230mm



Soft start

Size: 51*31*25cm/2pcs Color box
G.W./N.W.: 13/12kgs



PRCP2203

ELECTRIC POLISHER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed1000-3000rpm
- Dia. of Plate180mm



Variable speed

Size: 47.3*38*26.5cm/4pcs Color box
G.W./N.W.: 13.5/13kgs

PRCP2201

ELECTRIC POLISHER

- Voltage/Frequency230V/50Hz
- Input Power650W
- No-load Speed0-3000bpm
- Dia. of Plate125mm



Variable speed

Size: 67*25*45cm/10pcs Color box
G.W./N.W.: 17/16kgs



PRDG2201

ELECTRIC DIE GRINDER

- Voltage/Frequency230V/50Hz
- Power700W
- No-load Speed27000rpm
- Chuck Size6mm



Size: 52*42.5*19cm/10pcs Color box
G.W./N.W.: 21/19kgs



PRCP2202

ELECTRIC POLISHER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed1000-3000bpm
- Dia. of Plate180mm



Variable speed

Size: 47.3*38*26.5cm/4pcs Color box
G.W./N.W.: 13.5/13kgs

PRDG2202

ELECTRIC DIE GRINDER

- Voltage/Frequency230V/50Hz
- Power500W
- No-load Speed25000rpm
- Chuck Size6mm



Size: 47.5*34*16.8cm/10pcs Color box
G.W./N.W.: 14/13kgs



PRMG2301

MINI GRINDER

- Voltage/Frequency 230V/50Hz
- Power 135W
- No-load Speed 8000-32000rpm
- Chuck Size 3,2mm

Variable speed
Soft grip



A

40pcs
Size: 45*32*38cm/10pcs
BMC
G.W./N.W.: 15,5/15kgs



B

40pcs
Size: 37,5*35*30cm/5pcs
Transparent case
G.W./N.W.: 12,5/12kgs



C

210pcs
Size: 37,5*35*30cm/5pcs
Transparent case
G.W./N.W.: 12,5/12kgs

PRMG2302/2303

MINI GRINDER

MINI GRINDER

- Voltage/Frequency 230V/50Hz
- Power 170W
- No-load Speed 8000-32000rpm/8000-35000rpm
- Chuck Size 3,2mm

Variable speed
Soft grip



A

40pcs
Size: 48,5*30,5*43,5cm/10pcs
BMC
G.W./N.W.: 16/15kgs



B

72pcs
Size: 52*44*38cm/8pcs
Double blister
G.W./N.W.: 13/11kgs



C

100pcs
Size: 43*30*51cm/10pcs
BMC
G.W./N.W.: 21/20kgs



D

126pcs
Size: 56*38*30cm/6pcs
BMC
G.W./N.W.: 14/12kgs



E

190pcs
Size: 40,5*38*51cm/10pcs
Transparent case
G.W./N.W.: 12/10,5kgs



F

210pcs
Size: 43*41*33,5cm/5pcs
Transparent case
G.W./N.W.: 12/10kgs



G

218pcs
Size: 42*31*44cm/4pcs
Transparent case
G.W./N.W.: 9/8kgs

SANDER & PLANER

15-16 Sander

16 Belt Sander

17 Electric Router

17-18 Electric Planer

18 Biscuit Joiner

PRFS2203

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power130W
- No-load Speed15000rpm
- Pad Size140*140*80mm



Soft grip
Hook & loop

Size: 55.5*22*28cm/10pcs Color box
G.W./N.W.: 13/12kgs



PRFS2202

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power180W
- No-load Speed13000rpm
- Pad Size110*100mm



Soft grip
Sanding paper clamp

Size: 65*21*32cm/10pcs Color box
G.W./N.W.: 13/12kgs

PRFS2302

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power400W
- No-load Speed6000-12000rpm
- Pad Sizeø125mm
- Oscillating circuit diameter2.3mm



Variable speed
Soft grip
Hook & loop

Size: 54.5*31.5*40cm/8pcs Color box
G.W./N.W.: 19.4/18.4kgs



PRFS1606

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power480W
- No-load Speed4000-14000rpm
- Pad Sizeø125mm
- Oscillating circuit diameter2.3mm



Variable speed
Soft grip
Hook & loop

Size: 54.5*31.5*40cm/8pcs Color box
G.W./N.W.: 19.5/18.5kgs



PRFS2010

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power240W
- No-load Speed12000rpm
- Chuck Sizeø125mm



Soft grip
Hook & loop

Size: 65*21*32cm/10pcs Color box
G.W./N.W.: 14/13kgs

PRFS2004

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power150W
- No-load Speed12000rpm
- Pad Size187*90mm



Soft grip
Sanding paper clamp

Size: 54.5*31*33cm/10pcs Color box
G.W./N.W.: 14/13kgs



PRFS2206

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power250W
- No-load Speed6000-11000rpm
- Pad Size90*187mm



Variable speed
Soft grip
Sanding paper clamp

Size: 46*31*35cm/8pcs Color box
G.W./N.W.: 12.5/11.5kgs



PRFS2105

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power350W
- No-load Speed6000-11000rpm
- Pad Size230*115mm



Variable speed
Soft grip
Aluminum base
Sanding paper clamp

Size: 54*36*41cm/8pcs Color box
G.W./N.W.: 21.8/21kgs



PRFS2205

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power150W
- No-load Speed12000rpm
- Sanding Pad Size140*140*100mm



Soft grip
Hook & loop

Size: 59*23*33cm/10pcs Color box
G.W./N.W.: 18.5/17.5kgs



PRFS2301

FINISHING SANDER

- Voltage/Frequency230V/50Hz
- Input Power220W
- No-Load Speed12000rpm
- Sanding Pad Size 1140*140*100mm
- Sanding Pad Size 230*90mm
- Sanding Pad Size 390*187mm
- Sanding Pad Size 4125mm



Different base for choice

Size: 49*23*40cm/6pcs Color box
G.W./N.W.: 12.8/11.2kgs



PRBS2202

BELT SANDER

- Voltage/Frequency230V/50Hz
- Input Power600W
- No-load Speed120-380rpm
- Sanding Belt Size76x457mm



Belt quick release and adjustment function
Back and forth function(optional)
Soft grip
Variable speed

Size: 34.5*34*33.5cm/4pcs Color box
G.W./N.W.:13.4/12.4kgs



PRBS2301

BELT SANDER

- Voltage/Frequency230V/50Hz
- Input Power900W
- No-load Speed120-400rpm
- Sanding Belt Size76x533mm



Soft grip
Variable speed

Size: 50*38.5*44cm/6pcs Color box
G.W./N.W.: 22/21kgs

PRER1802

ELECTRIC ROUTER

- Voltage/Frequency 230V/50Hz
- Input Power 1020W
- No-load Speed 16000-30000rpm
- Collet Diameter ø6/ø8mm



Variable Speed

Size: 47*34,5*26cm/4pcs Color box
G.W./N.W.: 17.7/15,2kgs



PRER2202

ELECTRIC ROUTER

- Voltage/Frequency 230V/50Hz
- Input Power 1200W
- No-load Speed 16000-30000rpm
- Collet Diameter ø6/ø8mm



Variable Speed

Size: 51*35*23cm/4pcs Color box
G.W./N.W.: 18/16kgs



PRER2201

ELECTRIC ROUTER

- Voltage/Frequency 230V/50Hz
- Input Power 1200W
- No-load Speed 8000-23000rpm
- Collet Diameter ø8/ø12mm



Variable Speed

Size: 40*35*33cm/2pcs Color box
G.W./N.W.: 18/16kgs



PREP2202

ELECTRIC PLANER

- Voltage/Frequency 230V/50Hz
- Input Power 600W
- No-load Speed 17000rpm
- Max Planing Width 0-82mm
- Max Planing Depth 0-2mm



Aluminium cast front base and iron rear
base for economic use

Size: 36*32,5*37cm/4pcs Color box
G.W./N.W.: 12/11kgs



PREP2201

ELECTRIC PLANER

- Voltage/Frequency 230V/50Hz
- Input Power 710W
- No-load Speed 16000rpm
- Max Planing Width 0-82mm
- Max Planing Depth 0-2mm
- Rabbeting Depth 0-7mm



Two side dust removal system
Full aluminium cast base for maximum precision and control

Size: 34*33,5*38cm/4pcs Color box
G.W./N.W.: 12,5/11,5kgs



PREP2203

ELECTRIC PLANER

- Voltage/Frequency 230V/50Hz
- Input Power 900W
- No-Load Speed 14500rpm
- Max Planing Width 0-82mm
- Max Planing Depth 0-3mm
- Rabbeting Depth 0-24mm



Two side dust removal system
Full aluminium cast base for maximum precision and control

Size: 37*34*41,5cm/4pcs Color box
G.W./N.W.: 16,3/15kgs



PREP2204

ELECTRIC PLANER

- Voltage/Frequency 230V/50Hz
- Input Power 1200W
- No-load Speed 16000rpm
- Max Planing Width 0-110mm
- Max Planing Depth 0-3,5mm
- Rabbeting Depth 0-14mm



Full aluminium cast base for maximum precision and control
Invert function(optional)

Size: 48*41*25cm/2pcs Color box
G.W./N.W.: 12/11kgs



PRBJ2201

BISCUIT JOINER

- Voltage/Frequency 230V/50Hz
- Input Power 900W
- No-load Speed 11000rpm
- Blade Size 100mm*3,8*6T
- Max Cutting Depth 19mm
- Cutting Depth -45° - 90°



Size: 50,5*40,7*35,5cm/6pcs Color box
G.W./N.W.: 20/19kgs



PRBJ2202

BISCUIT JOINER

- Voltage/Frequency 230V/50Hz
- Input Power 700W
- No-load Speed 10800rpm
- Blade Size 100mm*3,8*6T
- Max Cutting Depth 19mm
- Cutting Angle -45° - 90°



Size: 61x43x38cm/6pcs Color box
G.W./N.W.: 24,5/23kgs

Size: 59*44*27cm/3pcs BMC
G.W./N.W.: 17/15kgs



SAWS

20 Jig Saw

21 Reciprocating Saw

21-22 Circular Saw

22 Mini Saw

23-24 Multi Tool & Marble Cutter



PRJS1901

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 400W
- No-load Speed 3000rpm
- Max Cutting Depth(Wood) 55mm



Variable speed(optional)
Metal base adjustable 0-45°

Size: 45.5*36.5*23.5cm/10pcs Color box
G.W./N.W.: 16.5/15.6kgs

PRJS2102

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 500W
- No-load Speed 0-3000rpm
- Max Cutting Depth(Wood) 55mm



Variable speed
Metal base adjustable 0-45°
Quick blade change

Size: 51.5*44.5*24cm/10pcs Color box
G.W./N.W.: 24.4/22.5kgs

PRJS2301

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 550W
- No-load Speed 500-3000rpm
- Max Cutting Depth(Wood) 65mm



Quick blade change
Metal base adjustable 0-45°
Pendular setting

Size: 48*28.5*36/8pcs Color box
G.W./N.W.: 18.5/17.5kgs

PRJS2201

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 580W
- No-load Speed 0-3000rpm
- Max Cutting Depth(Wood) 65mm



Quick blade change
Metal base adjustable 0-45°
Pendular setting

Size: 46*29*47cm/10pcs Color box
G.W./N.W.: 24/23kgs

PRJS2302

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 710W
- No-load Speed 0-3000rpm
- Max Cutting Depth(Wood) 70mm



With laser and LED
Quick blade change
Aluminium base adjustable 0-45°
Pendular setting

Size: 53*42*27cm/10pcs Color box
G.W./N.W.: 22/21kgs

PRJS2303

JIG SAW

- Voltage/Frequency 230V/50Hz
- Input Power 850W
- No-Load Speed 0-3000rpm
- Max Cutting Depth(Wood) 80mm



With laser and LED
Quick blade change
Aluminium base adjustable 0-45°
Pendular setting

Size: 47.5*30.5*25/5pcs Color box
G.W./N.W.: 14.5/13.5kgs

PRRS2301

RECIPROCATING SAW

- Voltage/Frequency230V/50Hz
- Input Power400W
- No-load Speed0-2700rpm
- Stroke18mm



Variable speed
Safty lock switch
Quick blade change
Soft grip

Size: 40,5*32*38,5/8pcs Color box
G.W./N.W.: 16,1/15,3kgs

PRRS2101

RECIPROCATING SAW

- Voltage/Frequency230V/50Hz
- Input Power850W
- No-load Speed0-2800rpm
- Stroke28mm



Variable speed
Safty lock switch
Quick blade change
Rotatable handle
Soft grip
LED light

Size: 55,5*50,5*21,5cm/6pcs Color box
G.W./N.W.: 15,5/14,5kgs

PRCS1613

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1100W
- No-load Speed4600rpm
- Blade Sizeø160mm
- Max. Cutting Depth90° 55mm, 45° 38mm



Adjustable base plate to 45°
Base height adjustment
Soft grip

Size: 51*33*38cm/4pcs Color box
G.W./N.W.: 17,5/15,5kgs

PRRS2302

RECIPROCATING SAW

- Voltage/Frequency230V/50Hz
- Input Power710W
- No-load Speed0-2800rpm
- Stroke22mm



Variable speed
Safty lock switch
Quick blade change
Soft grip

Size: 48*27*33cm/6pcs Color box
G.W./N.W.: 17,5/16,5kgs

PRCS2050

CIRCULAR SAW

- Voltage/Frequency100V/50/60Hz
- Input Power650W
- No-load Speed4600rpm
- Blade Sizeø147mm
- Max. Cutting Depth90° 47mm, 45° 32mm



Adjustable base plate to 45°
Base height adjustment
Soft grip

Size: 48*27*43cm/4pcs Color box
G.W./N.W.: 17/16kgs

PRCS1617

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1400W
- No-Load Speed4700rpm
- Blade Sizeø185mm
- Max Cutting Depth90° 65mm, 45° 44mm



Adjustable base plate to 45°
Base height adjustment
Soft grip
With laser

Size: 47,5*30,5*25/5pcs Color box
G.W./N.W.: 14,5/13,5kgs

PRCS2301

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed5500rpm
- Blade Sizeø185mm
- Max. Cutting Depth90° 60mm, 45° 46mm



Adjustable base plate to 45°
Base height adjustment
Soft grip

Size: 51*33*38cm/4pcs Color box
G.W./N.W.: 16,5/15kgs

PRCS2201/2202

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1200W/1400W
- No-load Speed4500rpm
- Blade Sizeø185mm
- Max. Cutting Depth90° 65mm, 45° 44mm



Adjustable base plate to 45°
Base height adjustment
Soft grip
Laser(optional)

Size: 52*33,5*55cm/4pcs Color box
G.W./N.W.: 21/20kgs

PRCS2203

MINI SAW

- Voltage/Frequency230V/50Hz
- Input Power480W
- No-load Speed3500rpm
- Blade Sizeø115mm
- Max. Cutting Depth90° 42,8mm, 45° 28mm



Laser(optional)

Size: 42*33,8*29,5cm/6pcs Color box
G.W./N.W.: 17,1/16,5kgs

PRCS2302

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1400W
- No-load Speed4700rpm
- Blade Sizeø185mm
- Max. Cutting Depth90° 65mm, 45° 44mm



Adjustable base plate to 45°
Base height adjustment
Soft grip

Size: 51*33*38cm/4pcs Color box
G.W./N.W.: 19/17kgs

PRCS1607

CIRCULAR SAW

- Voltage/Frequency230V/50Hz
- Input Power1800W
- No-load Speed4500rpm
- Blade Sizeø210mm
- Max. Cutting Depth90° 70mm, 45° 48mm



Adjustable base plate to 45°
Base height adjustment
Soft grip
Laser(optional)
Soft start

Size: 55*38,5*30,5cm/2pcs Color box
G.W./N.W.: 15/14kgs

PRCS2204

MINI SAW

- Voltage/Frequency230V/50Hz
- Input Power705W
- No-load Speed4500rpm
- Blade Sizeø89mm
- Max. Cutting Depth90° 28,5mm



Laser(optional)

Size: 46*33,5*27cm/6pcs Color box
G.W./N.W.: 16,2/15,6kgs

PRMT2301

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power220W
- No-load Speed20000rpm
- Oscillation Angle3,2°



Versatile tool for sawing, cutting, scraping,sanding,shaping.

Size: 36,5*26*25cm/6pcs Color box
G.W./N.W.: 7/6kgs



PRMT2302

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power300W
- No-load Speed15000-22000rpm
- Oscillation Angle3,2°



Versatile tool for sawing, cutting, scraping,sanding,shaping
Variable speed

Size: 37*28,5*21cm/4pcs Color box
G.W./N.W.: 7/6kgs



PRMT2303

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power300W
- No-load Speed15000-21000rpm
- Oscillation Angle3,2°



Quick fix system
Versatile tool for sawing, cutting, scraping,sanding,shaping
Variable speed

Size: 37*28,5*21cm/4pcs Color box
G.W./N.W.: 7/6kgs



PRMT2304

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power300W
- No-load Speed15000-21000rpm
- Oscillation Angle3,2°



Quick fix system
Versatile tool for sawing, cutting, scraping,sanding,shaping
Variable speed

Size: 37*28,5*21cm/4pcs Color box
G.W./N.W.: 7/6kgs



PRMT2201

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power300W
- No-load Speed15000-22000rpm
- Oscillation Angle3°
- Cutting Capacity80mm



Versatile tool for sawing, cutting, scraping,sanding,shaping
Variable speed

Size: 52*36*22cm/4pcs BMC
G.W./N.W.: 10/9.5kgs



PRMT2202

MULTI TOOL

- Voltage/Frequency230V/50Hz
- Input Power300W
- No-load Speed15000-22000rpm
- Oscillation Angle3,5°
- Cutting Capacity80mm



Quick fix system
Versatile tool for sawing, cutting, scraping,sanding,shaping
Variable speed

Size: 52*36*22cm/4pcs BMC
G.W./N.W.: 10/9.5kgs



PRSM2201

SLOTING MACHINE

- Voltage/Frequency230V/50Hz
- Input Power1400W
- No-load Speed7500rpm
- Cutting Depth8-30mm
- Cutting Width8-30mm
- Blade Size125mm



Soft start
Soft grip

Size: 71*41*29cm/3pcs Color box
G.W./N.W.: 20/18kgs

PRSM2202

SLOTING MACHINE

- Voltage/Frequency230V/50Hz
- Input Power1650W
- No-load Speed6000rpm
- Cutting Depth8-40mm
- Cutting Width8-30mm
- Blade Size150mm



Soft start
Soft grip


Size: 71*41*29cm/3pcs Color box
G.W./N.W.: 20/18kgs



PRMC2204

MARBLE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power900W
- No-load Speed10000rpm
- Blade Diameterø110mm




Size: 46*45*40,8cm/8pcs Color box
G.W./N.W.: 24/22kgs

PRMC2203

MARBLE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed12000rpm
- Blade Diameterø110mm / 125mm



Soft grip

Size: 46,5*25*39cm/4pcs Color box
G.W./N.W.: 15/14kgs



PRMC2201

MARBLE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power1250W
- No-load Speed12500rpm
- Blade Diameterø110mm



Size: 66,5*27*39,5cm/6pcs Color box
G.W./N.W.: 22,5/21,5kgs

PRMC2202

MARBLE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power1350W
- No-load Speed13500rpm
- Blade Diameterø110mm / 125mm



Soft grip

Size: 45*27,5*40cm/6pcs Color box
G.W./N.W.: 15/14kgs

SPRAYING & PAINTING TOOLS

26-27 Electric Mixer

28 Spray Gun

29-30 Drywall Sander

30 Wallpaper Stripper



PRLD2301

ELECTRIC MIXER

- Voltage/Frequency 230V/50Hz
- Input Power 850W
- No-load Speed 0-800rpm
- Mixing Paddle Diameter ø120mm
- Paddle Length 590mm
- Tool Fitting/Clamp Threadd M14

Variable speed
Soft grip

Size: 52*32*35cm/5pcs Color box
G.W./N.W.: 18/17.5kgs



PRLD2302

ELECTRIC MIXER

- Voltage/Frequency 230V/50Hz
- Input Power 1000W
- No-load Speed 0-800rpm
- Mixing Paddle Diameter ø120mm
- Paddle Length 590mm
- Tool Fitting/Clamp Threadd M14

Variable speed

Size: 53*35*42cm/4pcs Color box
G.W./N.W.: 17.5/16.5kgs



PRLD2201

ELECTRIC MIXER

- Voltage/Frequency 230V/50Hz
- Input Power 1400W
- No-load Speed 0-800rpm
- Mixing Paddle Diameter ø120mm
- Paddle Length 590mm
- Tool Fitting/Clamp Threadd M14

Easy carbon brush change
Variable speed

Size: 48*36*31cm/2pcs Color box
G.W./N.W.: 12/11kgs



PRLD2202

ELECTRIC MIXER

- Voltage/Frequency230V/50Hz
- Input Power1250W
- No-load Speed400-800rpm
- Mixing Paddle Diameterø120mm
- Paddle Length590mm
- Tool Fitting/Clamp ThrseadM14



Easy carbon brush change
Variable speed
Soft start

Size: 60*43*43cm/4pcs Color box
G.W./N.W.: 26/22kgs



PRLD2203

ELECTRIC MIXER

- Voltage/Frequency230V/50Hz
- Input Power1400W
- No-load Speed250-500rpm/400-800rpm
- Mixing Paddle Diameterø120mm
- Paddle Length590mm
- Tool Fitting/Clamp ThrseadM14



Easy carbon brush change
2 Mechanical speed
Soft start
Soft grip

Size: 60*43*43cm/4pcs Color box
G.W./N.W.: 26/22kgs



PRLD2204

ELECTRIC MIXER

- Voltage/Frequency230V/50Hz
- Input Power1600W
- No-load Speed250-500rpm/400-800rpm
- Mixing Paddle Diameterø120mm
- Paddle Length590mm
- Tool Fitting/Clamp ThrseadM14



Easy carbon brush change
2 Mechanical speed
Soft start
Double paddle

Size: 61*33.5*52cm/2pcs Color box
G.W./N.W.: 14/12kgs



PRSG1901

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power80W
- Container1000ml
- Max. Flow300ml/min
- Max. Viscosity30din/sec
- Nozzleø0.8mm



Copper nozzle

Size: 62*27*52cm/10pcs Color box
G.W./N.W.: 18/17kgs



PRSG1802

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power500W
- Container800ml
- Max. Flow650ml/min
- Max. Viscosity120din/sec
- Nozzleø2.5mm



Plastic nozzle

Size: 48*38*42cm/4pcs Color box
G.W./N.W.: 10.1/9.1kgs

PRSG2101

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power400W
- Container800ml
- Max. Flow800ml/min
- Max. Viscosity80din/sec
- Nozzleø2.5mm



Different size nozzle optional
Plastic nozzle

Size: 66.5*57*29cm/8pcs Color box
G.W./N.W.: 17/16kgs



PRSG2102

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power500W
- Container800ml
- Max. Flow500ml/min
- Max. Viscosity80din/sec
- Nozzleø1.8mm



Copper nozzle
Variable flow control

Size: 50*27.5*42cm/6pcs Color box
G.W./N.W.: 7/6kgs



PRSG2201

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power550W
- Container1200ml
- Max. Flow500ml/min
- Max. Viscosity80din/sec
- Nozzleø1.8mm



Copper nozzle
LED light
Variable flow control

Size: 54.5*29.5*43.5cm/6pcs Color box
G.W./N.W.: 12/9.5kgs



PRSG2202

ELECTRIC SPRAY GUN

- Voltage/Frequency230V/50Hz
- Input Power800W
- Container800ml
- Max. Flow900ml/min
- Max. Viscosity80din/sec
- Nozzleø1.8mm



Copper nozzle

Size: 48*29*51cm/4pcs Color box
G.W./N.W.: 11/10kgs



PRDS2204

DRYWALL SANDER

- Voltage/Frequency230V/50Hz
- Input Power710W
- No-load Speed1200-2500rpm
- Grinding Disc Dia.ø180mm
- Sandpaper Dia.ø180mm

- Dust collect device
- Soft grip
- Soft start
- With 360° light strip
- Easy carbon brush change

Size: 56,5*28,5*58cm/4pcs
G.W./N.W.: 15/14kgs

Color box



PRDS1802

DRYWALL SANDER

- Voltage/Frequency230V/50Hz
- Input Power800W
- No-load Speed1200-2300rpm
- Grinding Disc Dia.ø180mm
- Sandpaper Dia.ø190mm

- Dust collect device
- Soft start
- Easy carbon brush change
- LED light

Size: 62*32*54cm/4pcs
G.W./N.W.: 16/13.2kgs

Color box



PRDS2201

DRYWALL SANDER

- Voltage/Frequency230V/50Hz
- Input Power750W
- No-load Speed800-1750rpm
- Pad Diameterø210mm
- Sandpaper Diameterø225mm
- Length120-190mm

- Variable speed
- Soft grip
- Easy carbon brush change

Size: 112*28*19cm/1pc
G.W./N.W.: 5,8/3,8kgs

Color box



PRDS2203

DRYWALL SANDER

- Voltage/Frequency230V/50Hz
- Input Power750W
- No-load Speed800-1750rpm
- Round Pad Diameterø210mm
- Round Sandpaper Diameterø225mm
- Triangle Pad Diameter290*290*290mm
- Triangle Sandpaper Diameter290*290*290mm
- Length120-170mm

- Variable speed
- Soft grip
- Folding and extension-type,reduce packing space,easy to carry
- Dual pads,round pad and triangle vibration pad for diffrent use
- Easy carbon brush change

Size: 72*28*20cm/1pc
G.W./N.W.: 6,5/4,5kgs

Color box



PRPS2201

WALLPAPER STRIPPER

- Voltage/Frequency230V/50Hz
- Input Power2000W
- Tank Capacity4.5L
- Steam Time80rpm

Size: 96*41,5*26cm/4pcs
G.W./N.W.: 9/8kgs

Color box



PRPS2202

WALLPAPER STRIPPER

- Voltage/Frequency230V/50Hz
- Input Power1850-2000W
- Tank Capacity4.5L
- Steam Time70rpm

- Imports temperature control

Size: 53,5*32,5*57cm/4pcs
G.W./N.W.: 10,5/9kgs

Color box



OTHERS

33-34

Heat Gun

36

Mitre Saw

37-38

Tile Cutter



PRGG2201

GLUE GUN

■ Voltage/Frequency

230V/50Hz

■ Input Power

58W

■ Flow Of Gun

8-16g/rpm

■ Diameter Of Glue Stick

11mm

Cordless design is suitable for using indoor and outdoor



Size: 57.5*43.5*34cm/24pcs
G.W./N.W.: 16.5/15.5kgs

Color box

CE

PRGG2202

GLUE GUN

■ Voltage/Frequency

230V/50Hz

■ Input Power

10W

■ Flow Of Gun

3-6g/rpm

■ Diameter Of Glue Stick

7mm



Size: 66.5*45.5*21.5cm/72pcs
G.W./N.W.: 7/6kgs

Double blister

CE

PRGG2203

GLUE GUN

■ Voltage/Frequency

230V/50Hz

■ Input Power

80W

■ Flow Of Gun

8-16g/rpm

■ Diameter Of Glue Stick

11mm



Size: 64*42*37cm/40pcs
G.W./N.W.: 14/13.8kgs

Double blister

CE

PRST1601-3

SOLDERING IRON

■ Voltage/Frequency

230V/50Hz

■ Input Power

80W

■ Temperature

500°C

■ Preheat time

2-3min

Fast heating
Useful for welding



Size: 51*14.5*35.5cm/8pcs
G.W./N.W.: 2.9/2.4kgs

Double blister

CE

PRST1601-2

SOLDERING IRON

■ Voltage/Frequency

230V/50Hz

■ Input Power

60W

■ Temperature

300°C

■ Preheat time

2-3min

Fast heating
Useful for welding



Size: 51*14.5*35.5cm/8pcs
G.W./N.W.: 2.9/2.4kgs

Double blister

CE

PRST1601-1

SOLDERING IRON

■ Voltage/Frequency

230V/50Hz

■ Input Power

30W

■ Temperature

300°C

■ Preheat time

2-3min

Fast heating
Useful for welding



Size: 51*14.5*35.5cm/8pcs
G.W./N.W.: 2.9/2.4kgs

Double blister

CE

31 | PROMAX Power Tools

www.sunmoon-tools.com | 32

PRST1802

SOLDERING GUN

- Voltage/Frequency230V/50Hz
- Input Power100W
- Temperature300°C
- Preheat Time5-6second



Soft grip
LED light

Size: 44*26*35cm/6pcs Double blister
G.W./N.W.: 5.8/5.3kgs



PRST2201

SOLDERING GUN

- Voltage/Frequency230V/50Hz
- Input Power200W
- TemperatureI:70-200°C
II:200-350°C
III:350-500°C
- Preheat Time5second



Soft grip
LED light

Size: 46*31*36cm/10pcs BMC
G.W./N.W.: 15/14kgs



PRWE2202

PIPE WELDING MACHINE

- Voltage/Frequency230V/50Hz
- Input Power1000W
- Working Temperature0-300°C



Full aluminium heating plate
Temperature-regulating system
Multiple mounting holes to improve
working efficiency

Size: 40*40*45cm/10pcs Metal box
G.W./N.W.: 23/21kgs



PRWE2201

PIPE WELDING MACHINE

- Voltage/Frequency230V/50Hz
- Input Power750/1500W
- Working Temperature0-300°C



Full aluminium heating plate
Temperature-regulating system
Multiple mounting holes to improve
working efficiency
Two power setting for easy choice
during operation

Size: 45,5*30*52cm/5pcs Metal box
G.W./N.W.: 24/22kgs



PRHG2301

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:350°C II:600°C
- Air OutputI:300L/min II:500L/min



Over-heated protection

Size: 40*25*46cm/10pcs Color box
G.W./N.W.: 9/8kgs

PRHG2302

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:350°C II:600°C
- Air OutputI:300L/min II:500L/min



Over-heated protection

Size: 40*25*46cm/10pcs Color box
G.W./N.W.: 9/8kgs



PRHG2202

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:60°C
II:70-600°C
III:70-600°C
- Air FlowI:300L/min
II:300L/min
III:500L/min



LED indicator
Over-heated protection

Size: 45*25,5*51cm/10pcs Color box
G.W./N.W.: 11/10kgs



PRHG2201

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:350°C
II:600°C
- Air FlowI:300L/min
II:500L/min



Over-heated protection

Size: 45*28,5*50cm/10pcs Color box
G.W./N.W.: 8,5/7,5kgs



PRHG2101

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:60°C
II:60-600°C
- Air FlowI:500L/min
II:300-500L/min



LCD indicator
Over-heated protection

Size: 45*28*50cm/10pcs Color box
G.W./N.W.: 10/9kgs



PRHG1903

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:350°C
II: 600°C
- Air FlowI:300L/min
II: 500L/min



Over-heated protection

Size: 40*25*48cm/10pcs Color box
G.W./N.W.: 7,5/6,5kgs



PRHG2004

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:60-350°C
II:60-600°C
- Air FlowI:300L/min
II:500L/min



LED indicator
Over-heated protection

Size: 45*28,5*50cm/10pcs Color box
G.W./N.W.: 8,5/7,5kgs



PRHG2203

HEAT GUN

- Voltage/Frequency230V/50Hz
- Input Power2000W
- TemperatureI:50°C
II:50-480°C
III:90-600°C
- Air FlowI:250L/min
II:250L/min
III:500L/min



LED indicator
Over-heated protection

Size: 49x28x29,5cm/5pcs Color box
G.W./N.W.: 6,5/6,0kgs



PRES2202

STAPLE GUN

- Voltage/Frequency230V/50Hz
- Impact Rate30/min
- Magazine Capacity100nails
- Staple6-15mm
- T-brad Nail15mm



Size: 46*32*18cm/10pcs Color box
G.W./N.W.: 8/7kgs



PREB2201

ELECTRIC BLOWER

- Voltage/Frequency230V/50Hz
- Input Power400W
- No-load Speed13000rpm
- Air Circulation Rate2.3m³/min



| Single speed

Size: 53,5*45,5*37,5cm/12pcs Color box
G.W./N.W.: 14.5/13.5kgs



PREB2003

ELECTRIC BLOWER

- Voltage/Frequency230V/50Hz
- Input Power600W
- No-load Speed6000-16000rpm
- Air Circulation Rate3.5m³/min



| Variable speed

Size: 44.5*26*42cm/4pcs Color box
G.W./N.W.: 8.7/8kgs



PRES2203

STAPLE GUN

- Voltage/Frequency230V/50Hz
- Impact Rate30/min
- Magazine Capacity50nails
- Staple15-25mm
- T-brad Nail15/20/25/30/32mm



Size: 46*32*18cm/10pcs Color box
G.W./N.W.: 8/7kgs



PREB2202

ELECTRIC BLOWER

- Voltage/Frequency230V/50Hz
- Input Power600W
- No-load Speed0-15000rpm
- Air Circulation Rate2.8m³/min



| Variable speed

Size: 58,5*57*38,5cm/12pcs Color box
G.W./N.W.: 23/22kgs



PREB1605

ELECTRIC BLOWER

- Voltage/Frequency230V/50Hz
- Input Power750W
- No-load Speed3000-13000rpm
- Air Circulation Rate3.5m³/min



| Variable speed

Size: 52*39*44cm Color box
G.W./N.W.: 13.5/11.5kgs



PRMS2201

MITRE SAW

- Voltage / Frequency230V/50Hz
- Input Power1400W
- No-load Speed5000rpm
- Blade Size210mm
- Cutting Capacity0°X90° (H/W) 50x120mm
0°X45°(H/W) 30x120mm
45°X90° (H/W) 50x80mm
45°X45°(H/W) 30x80mm

Mirror-face processed workbench
Spindle lock
Aluminum Base
Laser(optional)



Size: 47.5*29*29cm/1pc Color box
G.W./N.W.: 7/6kgs



PRMS2202

MITRE SAW

- Voltage / Frequency230V/50Hz
- Input Power2100W
- No-load Speed5000rpm
- Blade Size255mm
- Cutting Capacity(Left)0°X90° (H/W) 75x340mm
0°X45°(H/W) 45x340mm
45°X90° (H/W) 75x240mm
45°X45°(H/W) 45x240mm
- Cutting Capacity(Right)0°X45° (H/W) 25x340mm
45°X45°(H/W) 25x240mm

Mirror-face processed workbench
Aluminum Base
Laser(optional)



Size: 83,5*46*43,5cm/1pc Color box
G.W./N.W.: 18/16kgs



PRMS2203

MITRE SAW

- Voltage / Frequency230V/50Hz
- Input Power1400W
- No-load Speed5000rpm
- Blade Size210mm
- Cutting Capacity0°X90° (H/W) 50x120mm
0°X45°(H/W) 30x120mm
45°X90° (H/W) 50x80mm
45°X45°(H/W) 30x80mm

Mirror-face processed workbench
Spindle lock
Aluminum Base
Laser(optional)



Size: 49*30*29cm/1pc Color box
G.W./N.W.: 7/6kgs



PRMS2301

MITRE SAW

- Voltage / Frequency230V/50Hz
- Input Power1800W
- No-load Speed3800rpm
- Blade Size305mm
- Cutting Capacity0°X0° 330x105mm
45°X0° 230x105mm
Left: 0°X45° 330x60mm
Right: 0°X45° 330x33mm
Left: 45°X45° 230x60mm
Right: 45°X45° 230x33mm

Aluminum base
Laser(optional)



Size: 86.5*53.5*52cm/1pc Color box
G.W./N.W.: 24/20kgs



PRTC2201

TILE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power800W
- No-load Speed2950rpm
- Tilting Range0-45°
- Table Size890*394mm
- Blade Sizeø200*ø25.4x2.4mm
- Cutting Depth28mm/45°, 32mm/90°
- Rip Cut620mm

Motor guided by ball bearing
Full aluminium table and steel water tray
High volume water pump increase blade life

Size: 104*49,5*34cm/1pc Carton box
G.W./N.W.: 29/26kgs



PRTC2202

TILE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power800W
- No-load Speed2950rpm
- Tilting Range0-45°
- Table Size1170*394mm
- Blade Sizeø230*ø25.4x2.4mm
- Cutting Depth37mm/45°, 43mm/90°
- Rip Cut900mm

Motor guided by ball bearing
Full aluminium table and steel water tray
High volume water pump increase blade life

Size: 137*54,5*38cm/1pc Carton box
G.W./N.W.: 39/31kgs



PRTC2203

TILE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- No-load Speed2950rpm
- Tilting Range0-45°
- Table Size1250*468mm
- Blade Sizeø250*ø25.4x2.4mm
- Cutting Depth46mm/45°, 52mm/90°
- Rip Cut1200mm

Punch cutting design
Direct drive motor guided by ball bearing
Steel water tray with volumn pump increasing blade life

Size: 168*59,5*62cm/1pc Carton box
G.W./N.W.: 67/59kgs



PRTC2204

TILE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power450W
- No-load Speed2950rpm
- Tilting Range0-45°
- Table Size330*360mm
- Blade Sizeø180*ø22,2x2,2mm
- Cutting Depth15mm/45°, 34mm/90°

Simple steel-tube design for machine body
Adjustable angle ruler for 0-45°cutting
Buitling in measuring guide for precise cutting



Size: 38*35,5*18,5cm/1pc Color box
G.W./N.W.: 8,2/7,5kgs



PRTS2201

TABLE SAW

- Voltage/Frequency230V/50Hz
- Input PowerS1:1500W, S4:2000W
- No-load Speed4800rpm
- Table Size630*546mm
- Blade Sizeø250x30x2,8mm/24T
- Cutting Depth90°/85mm, 45°/53mm

Induction motor
Overload protect function
Blade swivel device with integrated angle scale



Size: 69*57*31cm/1pc Carton box
G.W./N.W.: 23/22kgs



PRTC2205

TILE CUTTER

- Voltage/Frequency230V/50Hz
- Input Power800W
- No-load Speed2950rpm
- Tilting Range0-45°
- Table Size505*373mm
- Blade Sizeø200*ø16x2,4mm
- Cutting Depth17mm/45°, 43mm/90°

Simple steel-frame design for machine main body
Adjustable angle ruler for 0-45°cutting
Extendable working table for



Size: 51*34*28cm/1pc Color box
G.W./N.W.: 12/11kgs



PRTS2202

TABLE SAW

- Voltage/Frequency230V/50Hz
- Input Power1800W
- No-load Speed4200rpm
- Table Size960*685mm
- Blade Sizeø254x25,4x2,8mm/60T
- Cutting Depth90°/86mm, 45°/65mm

Steel main working table/with three steel extension table
With quickly assembly steel stand
With overload protector
Angle guide/cross cutting guide+fence
Table cutting guard/soft dust tube



Size: 72*57*38cm/1pc Carton box
G.W./N.W.: 23,5/20kgs



PRSS2202

SCROLL SAW

- Voltage/Frequency230V/50Hz
- Input Power350W
- Cutting Speed14.7m/s
- Table Size300x300mm
- Blade Size142.5*6.35*0.3mm/6T
- Max. Cutting Hegiht80mm
- Max. Cutting Width190mm

| Cast iron base and aluminum work table

Size: 38*28*75.5cm/1pc Carton box
G.W./N.W.: 19/17kgs



PRWP2201

JOINTER&PLANER

- Motor230V/50Hz
- Input power1800W
- Blade Speed12000rpm
- Planing Width155mm
- Planing Depth0-3mm
- Fence Angle90-135°
- No.of Blade2
- Fence Size360x63.7mm
- Working Table582x155mm

| With overload protection
Aluminium workbench

Size: 60*35.8*25.5cm/1pc Carton box
G.W./N.W.: 10.5/9kgs



PRSS2203

SCROLL SAW

- Voltage/Frequency230V/50Hz
- Input Power120W
- No-load Speed400-1600rpm
- Cutting Depth90°/50mm, 45°/20mm
- Blade Length125mm
- Max. Cutting Depth50mm
- Table Size250x415mm

| Induction motor
With LED work light
Dust blower maintains
Cast aluminum support
Cast iron base and steel work table

Size: 65.5*33*38cm/1pc Carton box
G.W./N.W.: 8.9/8.2kgs



PRDP2201

DRILL PRESS

- Voltage/Frequency230V/50Hz
- Input Power350W
- No-load Speed580-2650rpm(5 setting)
- Chuck13mm
- Spindle Travel50mm
- Max Distance From Spindle Axis To Surface Of Table220mm
- Max Distance From Spindle End To Surface Of Base300mm
- Table Size160X160mm
- Base Size290X195mm

| Height adjustable worktable for precise operation
Foldable guard to ensure safety
Induction motor for stable usage

Size: 46*34*23.5cm/1pc Color box
G.W./N.W.: 13/12kgs



PRWP1601

THICKNESS PLANER

- Voltage/Frequency220V/50Hz
- Input Power1500W
- No-load Speed9000rpm
- Feeding Speed8m/min
- Planing Length127mm
- Planing Width318mm
- Planing Depth2.5mm
- Range Of Planing Depth5-153mm

| Electromagnetic switch with stop
Overload protection
HSS stamping blade
Cast iron base
Aluminum table

Size: 61*35*46cm/1pc Carton box
G.W./N.W.: 33.5/32kgs



PRDP2202

DRILL PRESS

- Voltage/Frequency230V/50Hz
- Input Power500W
- No-load Speed280-2350rpm(9 setting)
- Chuck16mm
- Spindle Travel50mm
- Max Distance From Spindle Axis To Surface Of Table245mm
- Max Distance From Spindle End To Surface Of Base330mm
- Table Size170X175mm
- Base Size320X195mm

| Height adjustable worktable for precise operation
Foldable guard to ensure safety
Induction motor for stable usage

Size: 52.5*39*25cm/1pc Color box
G.W./N.W.: 20/19kgs



PRBG2204

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 120W
- No-load Speed 1000-9900rpm
- Wheel Size ø700*20*ø10mm



Variable speed control switch


Size: 28*16,5*18,5cm/1pc Color box
G.W./N.W.: 4,2/4,0kgs



PRBG2206

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 150W
- No-load Speed 2950rpm
- Wheel Size ø150*16*ø12,7mm



Waterproof switch
Steel wheel guard
Cast aluminium end cover and motor base

Size: 29*20*20,5cm/1pc Color box
G.W./N.W.: 4,8/4,5kgs



PRBG2202

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 250W
- No-load Speed 2950rpm
- Wheel Size ø150*20*ø12,7mm



Waterproof switch
Steel wheel guard
Cast aluminium end cover and motor base

Size: 33,5*20,5*22,5cm/1pc Color box
G.W./N.W.: 7,1/6,5kgs



PRBG2205

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 150W
- No-load Speed 2950rpm
- Wheel Size ø150*16*ø12,7mm



Waterproof switch
Steel wheel guard
Cast aluminium end cover and motor base

Size: 29,5*20*21cm/1pc Color box
G.W./N.W.: 4,7/4,4kgs



PRBG2201

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 150W
- No-load Speed 2950rpm
- Wheel Size ø125*16*ø12,7mm



Waterproof switch
Steel wheel guard
Cast aluminium end cover and motor base

Size: 28,5*18,5*20,5cm/1pc Color box
G.W./N.W.: 4,7/4,3kgs



PRBG2203

BENCH GRINDER

- Voltage/Frequency 230V/50Hz
- Input Power 400W
- No-load Speed 2950rpm
- Wheel Size ø200*20*ø16mm



Waterproof switch
Steel wheel guard
Cast aluminium end cover and motor base

Size: 37,5*26,5*28,5cm/1pc Color box
G.W./N.W.: 10,2/9,5kgs




PRBG1609

BELT & DISC SANDER

- Voltage/Frequency 230V/50Hz
- Input Power 350W
- Disc Speed 1450rpm
- Belt Speed 282rpm
- Disc ø150mm
- Belt Size 100*914mm
- Table Size 190*125mm
- Belt Tilt 0-90°
- Table Tilt 0-45°

Titilable mitre guide
Cast iron body base
Tracking adjustment
Fiable working table for belt or disc



Size: 50*26,5*30,5cm/1pc Color box
G.W./N.W.: 16,5 /15,5kgs



PRC02203

CUT-OFF MACHINE

- Voltage/Frequency 230V/50Hz
- Input Power 2500W
- No-load Speed 3900rpm
- Blade Diameter ø355mm

Quick-release vice
Large sized spark guard
Easy carbon brush change



Size: 59*33,5*42,5cm/1pc Color box
G.W./N.W.: 16/14,5kgs



PRC02202

CUT-OFF MACHINE

- Voltage/Frequency 230V/50Hz
- Input Power 2200W
- No-load Speed 3900rpm
- Blade Diameter ø355mm

Quick-release vice
Large sized spark guard
Easy carbon brush change



Size: 55*33*41,5cm/1pc Color box
G.W./N.W.: 12/10,5kgs



PRC01801

CUT-OFF MACHINE

- Voltage/Frequency 230V/50Hz
- Input Power 710W
- No-load Speed 9000rpm
- Blade Diameter ø150/180mm

Quick-release vice
Large sized spark guard
Easy carbon brush change



Size: 40,5*24*25,5cm/1pc Color box
G.W./N.W.: 5/4,5kgs

PRAC2201

AIR COMPRESSOR

- Voltage/Frequency230V/50Hz
- Input Power1500W/2HP
- No-load Speed2850rpm
- Tank Capacity25L
- Air Flow188L/min
- Pressure8bar/115psi



Size: 62*26*61cm/1pc Color box
G.W./N.W.: 23/21kgs



PRAC2202

AIR COMPRESSOR

- Voltage/Frequency230V/50Hz
- Input Power1500W/2HP
- No-load Speed2850rpm
- Tank Capacity50L
- Air Flow188L/min
- Pressure8bar/115psi



Size: 74*34*67cm/1pc Color box
G.W./N.W.: 32/21kgs



PRAC2203

AIR COMPRESSOR

- Voltage/Frequency220V/50Hz
- Input Power1500W/2HP
- No-load Speed1050rpm
- Tank Capacity90L
- Air Flow170L/min
- Pressure8bar/115psi



Size: 129*41*85cm/1pc Color box
G.W./N.W.: 67/62kgs



PRVC2201

VACUUM CLEANER

- Voltage/Frequency230V/50Hz
- Input Power600W
- Vacuity≥13KPA
- Tank Capacity6L
- Air Flow Rate20L/s



- Bigger wheels
- Blowing function

Size: 26.5*26.5*34cm/1pc Color box
G.W./N.W.: 3.5/3.0kgs



PRVC2001

VACUUM CLEANER

- Voltage/Frequency230V/50Hz
- Input Power1200W
- Vacuity≥18KPA
- Tank Capacity20L/25L/30L
- Air Flow Rate1.7M³/MIN



- Bigger wheels
- Blowing function
- Accessory storage function
- Dust-shaking function

Size: 38*36.5*46.5cm/1pc Color box
G.W./N.W.: 6.5/5.8kgs



PRVC2202

VACUUM CLEANER

- Voltage/Frequency230V/50Hz
- Input Power1400W
- Vacuity≥19KPA
- Tank Capacity20L
- Air Flow Rate26L/s



- 25W water pump
- Blowing function
- Accessory storage function
- Dust-shaking function

Size: 39*34*46.5cm/1pc Color box
G.W./N.W.: 11/10.2kgs



GARDEN TOOLS

46-49 Electric Garden Tools

50-53 Gasoline Garden Tools

PREH2201

ELECTRIC HAYMAKER

- Voltage/Frequency 230V/50Hz
- Input Power 2000W
- Temperature Setting I:50°C
II:600°C
- Air Flow 500L/min



Size: 44,5x41x53cm/15pcs Color box
G.W./N.W.: 19/18kgs



PREWS2201

ELECTRIC WEED SWEEPER

- Voltage/Frequency 230V/50Hz
- Input Power 150W
- No-load Speed 1200rpm
- Max.Brush Diameter 100mm



Size: 50,5x46x44cm/8pcs Metal box
G.W./N.W.: 17/16kgs



PREBV2102

ELECTRIC LEAF BLOWER/VACUUM

- Voltage/Frequency 230V/50Hz
- Input Power 2000W
- No-load Speed 15000rpm
- Air Circulation Rate 13.2m³/min
- Wind Speed 270km/h
- Collection Capacity 35L



3 in 1 function: vacuum + blower + mulcher
Variable speed(optional)

Size: 44x26x33cm/1pc Color box
G.W./N.W.: 3.7/3.1kgs



PREH2202

ELECTRIC HAYMAKER

- Voltage/Frequency 230V/50Hz
- Input Power 2000W
- Temperature Setting I:60°C
II:600°C
- Air Flow I:300L/min
II:500L/min



Size: 50,5x34,5x48cm/10pcs Color box
G.W./N.W.: 10/9kgs



PREWS2202

ELECTRIC WEED SWEEPER

- Voltage/Frequency 230V/50Hz
- Input Power 400W
- No-load Speed 1800rpm
- Max.Brush Diameter 100mm



Soft grip
Quick brush change
Aluminum telescopic rod
Adjustable auxiliary handle

Size: 96,5x46x32cm/6pcs Metal box
G.W./N.W.: 18/17kgs



PREBV2201

ELECTRIC LEAF BLOWER/VACUUM

- Voltage/Frequency 230V/60Hz
- Input Power 2000W
- No-load Speed 15000rpm
- Air Circulation Rate 13.2m³/min
- Wind Speed 270km/h
- Collection Capacity 35L



3 in 1 function: vacuum + blower + mulcher
Variable speed(optional)
Adjustable tube

Size: 27,5x17x85,5cm/1pc Color box
G.W./N.W.: 3,5/2,8kgs



PREGT1903 **ELECTRIC GRASS TRIMMER**

- Voltage/Frequency 230V/50Hz
- Input Power 250W
- No-load Speed 12500rpm
- Cutting Width 22cm
- Cutting System ø1.2mmx6m



Adjustable auxiliary handle

Size: 65x39x42cm/12pcs Color box
G.W./N.W.: 19/18kgs



PREGT2201 **ELECTRIC GRASS TRIMMER**

- Voltage/Frequency 230V/50Hz
- Input Power 380W
- No-load Speed 12000rpm
- Cutting Width 25cm
- Cutting System ø1.2mmx6m



Adjustable auxiliary handle
Rotatable cutting head
Aluminum shaft tube (29cm telescopic length)

Size: 65.5x44x42cm/8pcs Color box
G.W./N.W.: 17/16kgs



PREGT2202 **ELECTRIC GRASS TRIMMER**

- Voltage/Frequency 230V/50Hz
- Input Power 450W
- No-load Speed 10000rpm
- Cutting Width 28cm
- Cutting System ø1.4mmx6m



Adjustable auxiliary handle
Soft grip
Rotatable cutting head
Aluminum telescopic tube with telescopic range from 106-126cm

Size: 97x25x46cm/4pcs Color box
G.W./N.W.: 12/11kgs



PREGT2203 **ELECTRIC GRASS TRIMMER**

- Voltage/Frequency 230V/50Hz
- Input Power 1000W
- No-load Speed 8000rpm
- Cutting Width 35cm
- Cutting System ø1.6mm x 4.8m



Adjustable auxiliary handle

Size: 90x26x27cm/2pcs Color box
G.W./N.W.: 4.8/4.3kgs

PREGT2204 **ELECTRIC GRASS TRIMMER**

- Voltage/Frequency 230V/50Hz
- Input Power 1000W
- No-load Speed 7000rpm
- Cutting Width 23cm(Blade)/35cm(Line)
- Cutting System Blade / ø1.6mm x 4.8cm(Line)



2 in 1
Adjustable auxiliary handle

Size: 94x29x22cm/2pcs Color box
G.W./N.W.: 5.2/4.7kgs

PRECS2205 **ELECTRIC CHAIN SAW**

- Voltage/Frequency 220V/60Hz
- Input Power 2000W
- Bar Length 16"
- Chain Speed 13m/s
- Chain Pitch 3/8"
- Oil Pot Capacity 120ml



With double safety brake
SDS: Tool free chain tensioning
Soft start (optional)

Size: 48x24.5x37cm/2pcs Color box
G.W./N.W.: 10.4/8.4kgs

PRECS2207 **ELECTRIC CHAIN SAW**

- Voltage/Frequency 230V/50Hz
- Input Power 1400W
- Bar Length 16"
- Chain Speed 5600rpm
- Chain Pitch 3/8"
- Oil Pot Capacity 125ml



With double safety brake

Size: 51x45.5x42.5cm/4pcs Color box
G.W./N.W.: 22/21kgs



PRECS2208 **ELECTRIC CHAIN SAW**

- Voltage/Frequency 230V/50Hz
- Input Power 1800W
- Bar Length 16"
- Chain Speed 4100rpm
- Chain Pitch 3/8"
- Oil Pot Capacity 125ml



With double safety brake
Tool-free blade change

Size: 51x45.5x42.5cm/4pcs Color box
G.W./N.W.: 22/21kgs

PRELM1601 **ELECTRIC LAWN MOWER**

- Voltage/Frequency 230V/50Hz
- Input Power 1200W
- No-load Speed 3300rpm
- Cutting Width 320mm
- Grass Box 30L
- Cutting Height Adjustment 28/48/68mm



Cutting height adjustment: 28/48/68mm

Size: 59x36x29cm/1pc Color box
G.W./N.W.: 8.5/7kgs



PRELM2201 **ELECTRIC LAWN MOWER**

- Voltage/Frequency 230V/50Hz
- Input Power 1400W
- No-load Speed 3200rpm
- Cutting Width 380mm
- Grass Box 35L
- Cutting Height Adjustment 28/48/68mm



Cutting height adjustment: 28/48/68mm

Size: 66x45.5x33cm/1pc Color box
G.W./N.W.: 10.5/9kgs



PREHT2201 **ELECTRIC HEDGE TRIMMER**

- Voltage/Frequency 220V/50Hz
- Input Power 750W
- No-load Speed 1600rpm
- Cutting Length 610mm
- Max. Cutting Diameter 24mm



Mechanical brake
Rotary handle

Size: 120x31x44cm/4pcs Color box
G.W./N.W.: 21.5/20kgs



PREHT2202 **ELECTRIC HEDGE TRIMMER**

- Voltage/Frequency 220V/50Hz
- Input Power 600W
- No-load Speed 1700rpm
- Cutting Length 510mm
- Max. Cutting Diameter 16mm



Electric brake
Rotary handle

Size: 102x25x43cm/4pcs Color box
G.W./N.W.: 17/15.5kgs



PREHT2203ELECTRIC HEDGE TRIMMER

- Voltage/Frequency230V/50Hz
- Input Power450W
- No-load Speed1700rpm
- Cutting Length410mm
- Max. Cutting Diameter16mm



| Electric brake

Size: 86x23.5x31cm/4pcs Color box
G.W./N.W.: 11/10kgs



PREGS2102ELECTRIC GARDEN SHREDDER

- Voltage/Frequency230V/50Hz
- Input Power2000/2200/2400/2500W
- No-load Speed4200rpm
- Max. Cutting Diameter45mm
- Collection Box Capacity45L



Movable appearance design
Safety switch
Powerful motor provides convenient shredding

Size: 62x32x35.5cm/1pc Color box
G.W./N.W.: 11/10kgs



PREHP2102ELECTRIC HIGH PRESSURE WASHER

- Voltage/Frequency230V/50Hz
- Input Power1800W
- Max. Pressure135Bar
- Working Pressure90±5Bar
- Rated Flow6.0L/min
- Working Flow5.5±0.4L/min



| Auto-stop function

Size: 35x32x51cm/1pc Color box
G.W./N.W.: 8.9/7.9kgs



PREGS2101ELECTRIC GARDEN SHREDDER

- Voltage/Frequency230V/50Hz
- Input Power2600W
- No-load Speed4500rpm
- Max. Cutting Diameter45mm
- Collection Box Capacity50L



Powerful motor provides convenient shredding
Safety switch

Size: 52.5x37x51cm/1pc Color box
G.W./N.W.: 13/12kgs



PREHP2101ELECTRIC HIGH PRESSURE WASHER

- Voltage/Frequency230V/50Hz
- Input Power1700W
- Max. Pressure135Bar
- Working Pressure85±5Bar
- Rated Flow5.0L/min
- Working Flow4.8±0.4L/min



| Auto-stop function

Size: 29.4x27.5x45.5cm/1pc Color box
G.W./N.W.: 5.9/4.9kgs



PREHP2201ELECTRIC HIGH PRESSURE WASHER

- Voltage/Frequency230V/50Hz
- Input Power1400W
- Max. Pressure105Bar
- Working Pressure70±5Bar
- Rated Flow5.0L/min
- Working Flow4.8±0.4L/min



Small body,easy to move
With filter device
Auto-stop function

Size: 26x25x49cm/1pc Color box
G.W./N.W.: 6.6/5.6kgs



PRGBC2201 - 2202 - 2203

- | | PRGBC2201 | PRGBC2202 | PRGBC2203 | | PRGBC2201 | PRGBC2202 | PRGBC2203 |
|---------------------|-------------|-------------|-------------|---------------------------|--|--|--|
| ■ Displacement | 25.4cc | 43cc | 52cc | ■ Cutting Diameter(line) | 440mm | 440mm | 440mm |
| ■ Power | 0.7Kw | 1.47Kw | 1.47Kw | ■ Cutting Line Size | Ø2.4mm*10m | Ø2.4mm*10m | Ø2.4mm*10m |
| ■ No-load Speed | 7000rpm | 7000rpm | 7000rpm | ■ Cutting Diameter(blade) | 255mm | 255mm | 255mm |
| ■ Idling Speed | 3000±200rpm | 3000±200rpm | 3000±200rpm | ■ Engine | 1-Cylinder,
2-Stroke,
Air-cooling
CDI | 1-Cylinder,
2-Stroke,
Air-cooling
CDI | 1-Cylinder,
2-Stroke,
Air-cooling
CDI |
| ■ Fuel Tank | 650ml | 1200ml | 1200ml | | | | |
| ■ Fuel Mixing Ratio | 25:1 | 25:1 | 25:1 | ■ Ignition | | | |

Stand up fuel tank support fueling easily
With tank protection avoid tank touch ground
Light weight engine

Engine box:
Size:30x22x28cm/1pc
Color box
G.W./N.W.: 6.5/6kgs

Engine box:
Size:33.5x23x30cm/1pc
Color box
G.W./N.W.: 7/6.5kgs

Engine box:
Size:33.5x23x30cm/1pc
Color box
G.W./N.W.: 7/6.5kgs

Shaft box:
Size:165x10x10.5cm/1pc
Carton box
G.W./N.W.: 3/2.5kgs

Shaft box:
Size:165x10x10.5cm/1pc
Carton box
G.W./N.W.: 3/2.5kgs

Shaft box:
Size:165x10x10.5cm/1pc
Carton box
G.W./N.W.: 3/2.5kgs



GASOLINE BRUSH CUTTER



PRGBC2205 - 2206

- | | PRGBC2205 | PRGBC2206 |
|-------------------------------------|---------------------------------|---------------------------------|
| ■ Engine Type | 1-Cylinder,2-Stroke,Air-cooling | 1-Cylinder,2-Stroke,Air-cooling |
| ■ Engine Power | 1.47Kw | 1.65Kw |
| ■ No-load Speed | 7000rpm | 7000rpm |
| ■ Displacement | 43cc | 52cc |
| ■ Carburetor | Diaphragm type | Diaphragm type |
| ■ Gasoline/2-cycle Oil Mixing Ratio | 25:1 | 25:1 |
| ■ Idling Speed | 3000±200rpm | 3000±200rpm |
| ■ Fuel Tank Capacity | 1200ml | 1200ml |

Full crank shaft support long engine life and heavy duty work
Low engine temp even with catalyst
Stand up fuel tank support fueling easily
With tank protection avoid tank touch ground
Light weight engine

Engine box:
Size:33x24x30cm/1pc
Color box
G.W./N.W.: 7/6.5kgs

Engine box:
Size:33x24x30cm/1pc
Color box
G.W./N.W.: 7/6.5kgs

Shaft box:
Size:99x29x10cm/1pc
Carton box
G.W./N.W.: 15/14kgs

Shaft box:
Size:99x29x10cm/1pc
Carton box
G.W./N.W.: 15/14kgs



PRGHT1901

- Engine Displacement26cc
- Output Power0.75Kw
- No-load Speed8000rpm
- Blade Length710mm
- Cutting Length550mm
- Fuel Tank Capacity460ml
- Fuel Mixing Ratio40:1

180° degree adjustable handle
Excellent anti-vibraion system

Size: 1165x250x2760 (80) cm/2pcs Color box
G.W./N.W.: 6.7/5.2kgs



GASOLINE HEDGE TRIMMER



PRGCS2203

GASOLINE CHAIN SAW

■ Engine Displacement ■ Output Power ■ No-load Speed ■ Idling Speed ■ Bar Length ■ Chain Pitch	52cc 2.2Kw 7000rpm 3000±200rpm 18" 0,325	■ Fuel/Oil Tank Capacity ■ Oil Tank Capacity ■ Fuel/Oil Mixing Ratio ■ Engine ■ Ignition	550ml 260ml 25:1 1-Cylinder, 2-Stroke, Air-cooling CDI
Magnesium body Effective anti-vibration design Rapid mechanical chain brake Strong power and reduced fuel consumption Electric ignition with auto choke for easy starting			
Size: 49x27x28cm/2pcs Color box G.W./N.W.: 16.5/15kgs		CE	



PRGCS2205

GASOLINE CHAIN SAW

■ Engine Displacement ■ Output Power ■ No-load Speed ■ Idling Speed ■ Bar Length ■ Chain Pitch	25cc 0.9Kw 10000rpm 3000±200rpm 12" 3/8"	■ Fuel/Oil Tank Capacity ■ Oil Tank Capacity ■ Fuel/Oil Mixing Ratio ■ Engine ■ Ignition	230ml 160ml 25:1 1-Cylinder, 2-Stroke, Air-cooling CDI
Magnesium body Effective anti-vibration design Rapid mechanical chain brake Strong power and reduced fuel consumption Electric ignition with auto choke for easy starting			
Size: 32.5x25.5x25cm/1pc Color box G.W./N.W.: 5/4kgs			



PRGBV2202

GASOLINE BLOWER & VACUUM

■ Engine ■ Displacement ■ Engine Power ■ No-load Speed ■ Starting ■ Suction Capacity ■ Fuel Tank ■ Oil Mixing Ratio	2-Stroke 26cc 0.75Kw 8000rpm - Recoil starting 70m/s 460ml 40:1	
Size: 56x32.5x43.5cm/1pc Color box G.W./N.W.: 5.6/4.3kgs		



PRGBV2203

GASOLINE BLOWER & VACUUM

■ Engine ■ Displacement ■ Engine Power ■ No-load Speed ■ Starting	2-Stroke 30cc 1.0Kw 7500rpm Recoil starting	■ Suction Capacity ■ Fuel Tank ■ Oil Mixing Ratio ■ Dust Bag	252km/h 500ml 40:1 40L
Easy to switch between blow and vacuum model Patio height is adjustable with 3 position Equipped with the fan blade to cut up leaves			
Size: 48x33.7x55cm/1pc Color box G.W./N.W.: 10/9kgs		CE	



PRGLM2202

GASOLINE LAWN MOWER

■ Engine Type ■ Cylinder Capacity ■ Engine Power ■ Max. Working Speed ■ Drive Type ■ Working Width ■ Housing ■ Cutting Height ■ Wheel Size ■ Collect Bag with Plastic Hard Top	LONCIN, LC1P65FE, OHV 139cc 2.7Kw 2800rpm Hand Push 46cm (18inch) Steel 25-75mm (8 degrees) Front/Rear: 7"/10" 62L
Function: 4 in 1 rear collection, rear-discharge, side-discharge, mulching Cutting height 8 degrees	
Size: 77x56.5x50cm/1pc Color box G.W./N.W.: 36/33kgs	



PRGLM2203

GASOLINE LAWN MOWER

■ Engine Type ■ Cylinder Capacity ■ Engine Power ■ Max. Working Speed ■ Drive Type ■ Working Width ■ Housing ■ Cutting Height ■ Wheel Size ■ Collect Bag with Plastic Hard Top	LONCIN, LC1P70FC Electric start manual start , OHV 196cc 3.5Kw 2800rpm Self-propelled 51cm (20inch) Steel 25-75mm (8 degrees) Front/Rear: 8"/11" 62L
Function: 4 in 1 rear collection, rear-discharge, side-discharge, mulching Cutting height 8 degrees	
Size: Size: 85x57x50cm/1pc Color box G.W./N.W.: 38/35kgs	



PRGHP2201

GASOLINE HIGH PRESSURE WASHER

■ Max. Pressure ■ Flow Rate ■ Power ■ No-load Speed	150Bar/2200PSI 9LPM/2.4GPM 6.5HP 3400rpm
Saving water 20% than routine model With filter device High quality sealing elements	
Size: 52x46x52cm/1pc Carton box G.W./N.W.: 30/28kgs	



PRGHP2202 **GASOLINE HIGH PRESSURE WASHER**

PRGHP2202 **GASOLINE HIGH PRESSURE WASHER**

- Max. Pressure 180Bar/2600PSI
- Flow Rate 9LPM/2.4GPM
- Power 6.5HP
- No-load Speed 3400rpm

Detergent injection function	
Over load protection	
Over heat protection	
Adjustable dual detergent bottle	
Prevent movement during operation	

Size: 82x44x52cm/1pc Carton box
G.W./N.W.: 40/38kgs



PRGGS2201 **GASOLINE GENERATOR**

PRGGS2201 **GASOLINE GENERATOR**

- | | | | |
|----------------------|--|-------------------|--|
| ■ Frequency | 50/60Hz | ■ Engine Model | |
| ■ Max. AC output | 2.5Kva | ■ Engine Type | |
| ■ Rated AC output | 2.1Kva | | |
| ■ Rated AC voltage | 110V,220V,230V,120V/240V,
220V/380V,230V/400V | ■ Displacement | |
| ■ DC Output | 12V/8.3A | ■ Fuel | |
| ■ Phase | Single/Three phase | ■ Lubrication Oil | |
| ■ Alternator Type | Self-excited, two poles, AVR | ■ Lubrication Oil | |
| ■ Starting System | Recoil start or electric start | ■ Ignition System | |
| ■ Noise Level At 7M | 68-72dB(A) | ■ Air Filter Type | |
| ■ Fuel Tank Capacity | 15L | | |

- | | |
|--------------------------|--|
| ■ Engine Model | LB170F |
| ■ Engine Type | Single-cylinder forced air-cooled OHV four-stroke carburetor gasoline engine |
| ■ Displacement | 210ml |
| ■ Fuel | Unleaded gasoline |
| ■ Lubrication Oil | SAE 10W-30 or according to the manual |
| ■ Lubrication Oil Volume | NO |
| ■ Ignition System | TCI(transistor ignition) |
| ■ Air Filter Type | Dry |

- Low-oil shutdown safeguards the 4-stroke engine
- Stable output, low noise
- With wheels, easy to move

Size: 60.5*44*44cm/1pc Carton box
G.W./N.W.: 40/38kgs



PRGGS2202 GASOLINE GENERATOR

PRGGS2202 GASOLINE GENERATOR

- | | | |
|----------------------|--|-------------------|
| ■ Frequency | 50/60Hz | ■ Engine Model |
| ■ Max. AC Output | 0.55Kva | ■ Engine Type |
| ■ Rated AC Output | 0.6Kva | |
| ■ Rated AC Voltage | 110V,220V,230V | ■ Displacement |
| ■ Power Factor | $\cos\phi=1$ | ■ Fuel |
| ■ DC Output | 12V/8.3A | ■ Lubrication Oil |
| ■ Phase | Single phase | ■ Lubrication Oil |
| ■ Alternator Type | Self-excited, two poles,
AVR or capacitance | ■ Ignition System |
| | Recoil | ■ Air Filter Type |
| ■ Starting System | | |
| ■ Noise Level At 7M | 65-68dB(A) | |
| ■ Fuel Tank Capacity | 4L | |

- | | |
|--------------------------|---|
| ■ Engine Model | LB1E45F |
| ■ Engine Type | Single-cylinder forced air-cooled two-stroke carburetor gasoline engine |
| ■ Displacement | 63ml |
| ■ Fuel | Mixed oil(gasoline:two stroke motorcycle oil=25:50:1) |
| ■ Lubrication Oil | Two-stroke motorcycle oil or according to the manual |
| ■ Lubrication Oil Volume | NO |
| ■ Ignition System | TCI(transistor ignition) |
| ■ Air Filter Type | Dry |

Compact design, easy move
Stable output, low noise

Size: 38*32*32cm/1pc Carton box
G.W./N.W.: 18/17kgs



NOTE